



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XXIII.

[New generic, specific, and subspecific names are printed in **heavy-faced** type.]

- ABBOT, John, unpublished letter of,
 365-368.
 Acanthis brewsteri, 112, 470.
 linaria, 102, 145, 313.
 Accipiter atricapillus, 100, 314, 420.
 atricapillus striatulus, 142.
 cooperi, 142, 173, 344, 413,
 420.
 velox, 142, 173, 344, 420.
 Actitis macularia, 14, 109, 141, 413,
 451.
 Actodromas bairdii, 449.
 fuscicollis, 59, 173, 335, 449,
 458.
 maculata, 59, 141, 449.
 minutilla, 59, 141, 449.
 Adams, Chas. C., notice of 'An
 Ecological Survey in Northern
 Michigan,' directed by, 354.
 Æchmopterus occidentalis, 139.
 Aëdon, 228.
 Ægialitis meloda, 451.
 meloda circumcincta, 273,
 452.
 nivosa, 384, 452.
 semipalmata, 45, 59, 142,
 451.
 Aërodrampus, 474.
 Aëronautas melanoleucus, 76, 414.
 Æstrelata hasitata, 443.
 Agelaius gubernator, 415.
 phœniceus, 45, 155.
 phœniceus bryanti, 399.
 phœniceus caurinus, 145.
 phœniceus fortis, 345, 422.
 phœniceus neutralis, 415.
 tricolor, 415.
 Agyrtria brevirostris, 80.
 Aix sponsa, 140, 444.
 Ajaja ajaja, 397.
 Alauda spragueii, 308.
 Alca torda, 441.
 Alle alle, 441.
 Allen, Francis H., breeding of the
 Prairie Horned Lark in east-
 ern Massachusetts, 101; possible
 breeding of *Junco hyemalis* in
 Essex County, Mass., 103.
 Allen, J. A., the name of the West-
 ern Sandpiper, 97; subgenera,
 and other matters, 122-125.
 Allenia apicalis 236.
 Allison, Andrew, notes on the birds
 of Hancock County, Miss., 44-
 47; notes from Hancock County,
 Miss., 232. See also Beyer, Geo.
 E.
 Amazilis beryllina viola, 478.
 graysoni, 388.
 Amazona albifrons, 387.
 albifrons nana, 478.
 finschi, 387.
 oratrix, 387.
 American Ornithologists' Union,
 Twenty-third Congress of, 92-96,
 127; meetings of the Committees
 on the Nomenclature and Classi-
 fication of North American Birds,
 and on the Revision of the A. O.
 U. Code of Nomenclature, 125,
 247; Twenty-fourth Congress of,
 487.
 Ammodramus caudacutus, 65.
 henslowii, 15.

- Ammodramus maritimus*, 65.
 maritimus fisheri, 65-66.
 maritimus macgillivrayi, 65, 226.
 maritimus peninsulæ, 66.
 nelsoni, 65.
 nelsoni subvirgatus, 65.
Ampelis cedrorum, 46, 146, 233, 342, 390.
Amphispiza belli nevadensis, 422.
 bilineata deserticola, 422.
Anabates certhioides, 482.
 gutturalis, 482.
 ruficaudatus, 482.
Anas acuta, 309.
 boschas, 140, 219, 444.
 breweri, 308, 310.
 carolinensis, 309.
 crecca, 309.
 gloucians, 310.
 obscura, 154, 218, 444.
 obscura rubripes, 56, 315, 444.
Anhinga anhinga, 217.
Ani, 6, 399.
 Groove-billed, 6, 106, 371, 388.
Anser albifrons gambeli, 141, 183, 453.
Anthony, A. W., random notes on Pacific Coast Gulls, 129-137; where does the Large-billed Sparrow breed? 149-152; stray notes from Alaska, 179-186.
Anthus aquaticus, 300.
 pensilvanicus, 46, 147, 159, 341, 342.
 pipiens, 304, 307.
 splinetta, 304.
 spraguei, 232.
Antrostomus carolinensis, 15, 343.
 vociferus, 22, 174.
Aphelocoma californica, 415.
 californica obscura, 415.
 sieberi arizonæ, 422.
 woodhousei, 422, 465.
Aphriza townsendi, 310.
Aquila chrysaëtos, 62, 142, 314, 420.
Aramus giganteus, 231.
Archibuteo ferrugineus, 420.
 lagopus sancti-johannis, 314.
Ardea alba, 310.
 cinerea, 260.
 egretta, 310.
 herodias, 45, 57, 108, 252-262, 383, 413, 419, 447.
 herodias fannini, 141.
 herodias wardi, 398.
 occidentalis, 307, 397.
Ardetta exilis, 14, 447.
 neoxena, 447.
Arenaria interpres, 59, 335.
 morinella, 59, 335, 452.
Arnold, Isaac F., the Seaside Sparrow nesting in bushes, 226.
Arquatella maritima, 449.
Asilus, 229.
Asio accipitrinus, 143.
 wilsonianus, 143, 337, 421.
Astragalinus tristis, 15, 46, 155.
 tristis salicamans, 145, 416.
 lawrencei, 416.
 psaltria hesperophilus, 416.
Astur fuscus, 208.
Asturina plagiata, 386.
Asyndesmus torquatus, 144, 421.
Attila wighti, 471.
Audubon, John James, letters of, previously unpublished, 194-209, 318-334; a bibliography and nomenclator of his ornithological works, 298-312.
Audubon, John W., his 'Western Journal: 1849-1850,' announced, 128.
Audubon Societies, National Association of, First Annual Meeting, 126; bequest to, 486.
Auk, Razor-billed, 441.
Auklet, Rhinoceros, 139.
Avocet, American, 402, 413, 448.
Aythya affinis, 140, 383, 445.

- Aythya americana*, 140, 444.
 collaris, 140, 445.
 marila, 140, 445.
 vallisneria, 140, 444.
- BÆOLOPHUS bicolor*, 47.
 inornatus, 187, 417.
 inornatus griseus, 424.
 inornatus restrictus, 186-188.
 wollweberi, 424.
- Bailey, H. H., ornithological notes from Western Mexico and the Tres Marias and Isabella Islands, 369-391.
- Bailey, Vernon, notice of his 'Birds known to eat the Boll Weevil,' 119.
- Baird, Spencer F., previously unpublished letters of, 194-209, 318-334.
- Baldpate, 140, 327, 332, 419.
- Bangs, Outram, notice of his papers on *Icterus gualanensis* Underwood, and the name of the Panama Green Honey Creeper, 235; notice of his 'The Names of the Passenger Pigeon and Mourning Dove,' 474.
- Barbour, Robt., an Eskimo Curlew captured at sea, 459.
- Bartramia *longicauda*, 59, 277, 280, 450.
- Batty, J. H., his field work in Mexico for the American Museum of Natural History, 128; obituary of, 356.
- Beard, Dan, Long-eared Owls resident at Flushing, Long Island, N. Y., 337.
- Beaupré, Edwin, unusual nesting site of the Black Duck (*Anas obscura*), 218.
- Beebe, C. William, notice of his 'The Ostriches and their Allies,' 114; notice of his 'Two Bird Lovers in Mexico,' 115; the European Lapwing on Long Island, N. Y., 221; the spring moult of *Larus atricilla*, 454-456.
- Bergtold, W. H., concerning the thick-billed Parrot, 425-428.
- Beyer, Geo. E., and Andrew Allison and Henry H. Kopman, list of the birds of Louisiana, 1-15; 275-282.
- Bird, Bee, 399.
 Black, 399, 400.
 Man-o'-War, 372, 375, 382, 397.
 Molasses, 393.
 Red, 400.
 Red-billed Tropic, 372, 374, 375, 378.
- Bishop, Louis B., the European Turnstone in Massachusetts, 335; *Uranomitra salvini* in Arizona, 337; notes from Connecticut, 344.
- Bitterling, 398.
- Bittern, American, 56, 141, 446.
 Cory's Least, 447.
 Least, 190, 447.
- Blackbird, 393, 394.
 Bicolored, 415.
 Brewer's, 14, 145, 415, 422, 465.
 Colima Boat-tailed, 390.
 Common Crow, 300.
 Florida Red-winged, 45.
 Northern Red-winged, 422.
 Red-winged, 5, 155.
 Rusty, 280, 282, 317, 465.
 San Diego Red-winged, 415.
 Tricolored, 415.
 Yellow-headed, 14, 415, 422.
- Black-head, 332.
- Blain, A. W., Jr., the Michigan Ornithological Club, 347.
- Blake, Francis G., winter record for the Robin in Hanover, N. H., 229.
- Bluebird, 8, 12, 47, 327, 347, 468.

- Bluebird, Chestnut-backed, 425.
 Bluebird, Mountain, 425.
 Western, 148, 409, 418.
 Boat-tail, Colima, 390.
 Bobolink, 280, 281, 461.
 Bob-white, 6, 119, 142.
 Bonasa umbellus, 336, 459.
 umbellus sabini, 142.
 Bonhote, J. L., and others, notice
 of 'Report on the Immigration
 of Summer Residents [in England
 and Wales] in the Spring of 1905,'
 472.
 Booby, 6.
 Blue-footed, 369, 375, 379.
 Brewster's, 374, 375, 380.
 Botaurus lentiginosus, 14, 56, 141,
 446.
 stellaris, 236.
 Bowdish, B. S., some breeding
 Warblers of Desmarest, N. J.,
 16-19.
 Bowles, J. H., a list of the birds of
 Tacoma, Washington, and vicini-
 ty, 138-148.
 Brachyramphus marmoratus, 139.
 Bradlee, Thomas S., Audubon's
 Shearwater and Peale's Petrel
 breeding in Bermuda, 217.
 Braislín, William C., the Florida
 Gallinule nesting on Long Island,
 N. Y., 189-194.
 Brant, Black, 141.
 White-bellied, 446.
 Branta bernicla glaucogastra, 446.
 canadensis, 315, 446.
 canadensis hutchinsi, 141,
 446.
 canadensis minima, 183.
 canadensis occidentalis, 141.
 Breninger, George F., notice of
 death of, 356.
 Brewster, William, occurrence of
 the Lapwing (*Vanellus vanellus*)
 and the Turkey Buzzard (*Cath-
 artes aura*) in Newfoundland,
 221; review of his 'Birds of the
 Cambridge Region of Massachu-
 setts,' 466-470.
 Brown, Herbert, the Water Turkey
 and Tree Ducks near Tucson,
 Arizona, 217.
 Brown, Nathan Clifford, the Mary-
 land Yellow-throat and Bach-
 man's Finch near Camden, S. C.,
 in winter, 227; a Ruffed Grouse
 near Camden, S. C., 336; the
 Titlark at Portland, Me., in
 spring, 342; a great flight of
 Robins and Cedar-birds, 342;
 a new song, 461.
 Bryant, Walter E., last illness and
 death of, 376.
 Bubo virginianus pallescens, 421.
 virginianus saturatus, 143.
 virginianus subarcticus, 469.
 Buffle-head, 140, 332, 445.
 Bull Bat, 399.
 Bunting, Black-throated, 279.
 Indigo, 9, 156, 278, 282.
 Lark, 423.
 Lazuli, 146, 417.
 Painted, 9.
 Snow, see Snowflake.
 Bush-Tit, California, 412, 418.
 Lead-colored, 425.
 Puget Sound, 148.
 Sacramento, 418.
 Buteo borealis, 23, 45.
 borealis calurus, 142, 414,
 420.
 harrisi, 307, 310.
 lagopus, 310.
 latissimus rivieri, 237.
 lineatus, 173.
 lineatus alleni, 14, 399.
 platypterus, 14, 173, 344.
 swainsoni, 414.
 vulgaris, 310.
 Butorides virescens, 14, 57, 398,
 432-436, 447.
 virescens anthonyi, 235, 413.

- Butler, Amos W., some notes on Indiana birds, 271-274.
- Butorides virescens brunnescens, 235.
virescens maculata, 235.
- Buturlin, S. A., notice of his 'The Breeding-grounds of the Rosy Gull,' 348.
- Buzzard, Turkey, 221, 366, 399.
- CABANIS, Jean Louis, obituary of, 247; published writings of, 485.
- Cacique, Mexican, 389.
- Calamospiza melanocorys, 423.
- Calcarius lapponicus, 314.
ornatus, 422.
- Calidris arenaria, 59, 173, 450.
- California Academy of Sciences, destruction of its collections, 358.
- California Audubon Society, 486.
- Callender, J. P., the Redpoll breeding in the Magdalen Islands, 102.
- Callipepla californica, 230.
californica vallicola, 230.
squamata, 420.
- Calypte anna, 83, 414.
- Cameron, E. S., nesting of the Great Blue Heron in Montana, 252-262.
- Campophilus imperialis, 426.
- Campylopterus, 79.
- Canvas-back, 140, 444.
- Capercalzie, 477.
- Caprimulgus nuttallii, 308, 309.
- Caracara, Audubon's, 387.
Tres Marias, 387.
- Carbo floridanus, 307, 309.
- Cardinal, 9, 46, 347.
Florida, 400.
Tres Marias, 390.
- Cardinalis, 471.
cardinalis, 46, 275.
cardinalis floridanus, 400.
cardinalis mariæ, 390.
- Carduelis, 471.
mexicanus, 310.
- Carduelis stanleyi, 308.
yarrellii, 308.
- Carpenter, Frederic W., an astronomical determination of the heights of birds during nocturnal migration, 210-217; notice of his paper on the 'Development of the Oculomotor Nerve,' etc., 237.
- Carpodacus mexicanus, 390.
mexicanus frontalis, 416, 422, 465.
purpureus californicus, 145, 415.
- Carine noctua, 346.
- Cassidix melanicterus, 389.
- Cassinia, see Delaware Valley Ornithological Club.
- Cat question, the, in Australia, 358.
- Catbird, 160, 277, 279, 280, 282.
- Catharista atrata, 222.
urubu, 45, 386.
- Cathartes atratus, 309.
aura, 45, 142, 221, 309, 385, 399, 413, 420.
jota, 309.
- Catherpes mexicanus conspersus, 424, 465.
- Cedar-bird, 342.
- Celeus elegans leotaudi, 471.
- Centurus carolinus, 45, 399.
elegans, 388.
- Ceophlœus pileatus, 63.
pileatus abieticola, 144.
scapularis, 388.
- Cephus columba, 139, 412.
grylla, 172, 441.
mandtii, 441.
- Ceratorrhina monocerata, 139.
occidentalis, 310.
- Ceratorhyncha occidentalis, 310.
- Certhia familiaris fusca, 160.
familiaris montana, 424.
familiaris occidentalis, 148.
- Certhiola atrata, 394.
godmani, 394.
saccharina, 393, 394.

- Certhiola wellsi*, 395.
Ceryle alcyon, 143, 421.
 cabanisi, 388.
 torquata, 388.
Chachalaca, 385.
Chætura cinereicauda, 471.
 dubia, 236.
 fumosa, 472.
 pelagica, 70, 74, 174.
 spinicauda, 471.
 vauxii, 144, 224.
Chamæa fasciata intermedia, 187, 418.
 fasciata henshawi, 417.
 fasciata rufula, 418.
Charadrius dominicus, 451.
Charitonetta albeola, 140, 445.
Chat, Long-tailed, 147, 390, 403, 417.
 Yellow-breasted, 9, 19, 279.
Chauleasmus streperus, 140, 444.
Chen cærulescens, 314, 446.
 hyperborea, 219, 314, 453.
 hyperborea nivalis, 220, 314.
Cherrie, Geo. K., notice of his paper on Birds collected at St. Matthews Cocoa Estate, Island of Trinidad, 471.
Chewink, 347.
Chibia worcesteri, 236.
Chickadee, Black-capped, 313, 347.
 Carolina, 47, 277, 344.
 Chestnut-backed, 148.
 Hudsonian, 178, 313.
 Mountain, 424.
 Oregon, 148.
 Santa Cruz, 412, 417.
Chlorophanes spiza exsul, 235.
Chlorospingus leotaudi, 471.
Chondestes grammacus, 46, 103.
 grammacus strigatus, 416, 423.
Chordeiles virginianus, 64, 144, 399.
 virginianus hesperis, 414.
 acutipennis texensis, 388.
Chrysolampis moschitus, 82.
Chuck-will's-widow, 279, 281, 343, 364.
Cinclus americanus, 304, 311.
 mexicanus, 108, 147.
 mortoni, 304, 308, 311.
 schulzi, 111.
 townsendi, 303, 308, 311.
Cinclus, geographical distribution of, 111.
Circus hudsonius, 142, 413, 420.
Cissilopha san-blasiana san-blasiana, 389.
Cistothorus stellaris, 47.
Clangula clangula americana, 140, 173, 445.
 islandica, 445.
 vulgaris, 310.
Clark, Austin H., notice of his "Birds of the Southern Lesser Antilles," 113; the West-Indian black forms of the genus *Cæreba*, 392-395.
Clark, Hubert Lyman, the feather tracts of Swifts and Humming-birds, 68-91.
Clarke, Wm. Eagle, notice of his 'The Birds of the South Orkney Islands,' 350.
Coccorobus cæruleus, 207.
Coccothraustes vespertinus montanus, 465.
Coccyzus americanus, 14, 22, 300.
 americanus occidentalis, 143.
 erythrophthalmus, 300.
 minor, 399.
 minor vincentis, 114.
 sp., 174.
Cœligena clementiæ, 83.
Cœreba atrata, 392, 393, 394, 395.
 luteola, 394.
 saccharina, 393, 394.
 wellsi, 392, 393, 395.
Cœreba, West Indian black forms of, 392-395.
Colaptes auratus, 45, 232.

- Colaptes cafer collaris*, 144, 414, 421.
 cafer saturator, 144.
Colinus virginianus, 142.
Collocalia, 474.
 spodiopyga, 72.
 sp., 72.
Columba carolinensis, 474.
 fasciata, 142, 420.
 flaviostris, 385.
 flaviostris madrensis, 385.
 leucocephala, 398.
 macroura, 474.
 marginata, 474.
 migratoria, 474.
 trudeaui, 309.
Columbigallina passerina exigua,
 236.
 passerina pallescens, 385.
 passerina terrestris, 399.
Colymbus arcticus, 310.
 auritus, 139, 441.
 glacialis, 367.
 holboellii, 139, 314, 440.
 richardsoni, 304, 308.
Compsothlypis americana, 157, 465.
 americana usneæ, 174.
 americana ramelinæ, 24.
Condor, California, 408, 409.
Contopus richardsonii, 144, 415.
 virens, 20, 154.
Conurus caniculatus, 388.
Cooke, Wells W., Swallow-tailed
 Flycatcher (*Muscivora forficata*)
 in New Brunswick, 460; the
 Birds of Wyoming: some cor-
 rections, 464.
Coolidge, P. T., notes on the
 Screech Owl, 48-55.
Coot, American, 141, 190, 193, 367,
 383, 413, 448.
 Sea, 314.
Cormorant, 443.
 Baird's, 137, 413.
 Brandt's, 132, 137, 140, 412.
 Double-crested, 274, 443.
 Comorant, Farralone, 132, 137.
 Mexican, 382.
 White-crested, 140.
Corvus americanus, 307, 432.
 brachyrhynchos, 45, 109,
 145, 175.
 brachyrhynchos hesperis, 415.
 brachyrhynchos pascuus, 399.
 cacotl, 319.
 caurinus, 145.
 columbianus, 310.
 corax principalis, 173, 313.
 corax sinuatus, 173, 313,
 415, 422.
 cryptoleucus, 422.
 mexicanus, 389.
 ossifragus, 45.
Cowbird, 8, 9, 145, 277, 422.
 Bronzed, 389.
Cowheen, 445.
Crane, Little Brown, 183.
 Sandhill, 141, 447.
 Whooping, 439.
Creeper, Brown, 10, 160.
 Rocky Mountain, 424.
 Tawny, 148.
Creepers, Black West Indian Honey,
 392-395.
Crossbill, American, 145, 176, 313,
 339.
 White-winged, 176, 339.
Crotophaga ani, 4, 399.
 sulcirostris, 4, 106, 388.
Crow, American, 45, 109, 145, 175.
 California, 415.
 Carrion, 366.
 Fish, 45.
 Florida, 399.
 Mexican, 389.
 Northwest, 145.
 Rain, 399.
Crow Roost, change in location of a,
 429-431.
Crymophilus fulicarius, 106, 220, 448.
Cryptoglaux acadica, 100, 337, 344.

- Cryptoglaux acadica* scotæ, 143.
 Csörgey, Titus, notice of his 'Ornithologische Fragmente aus den Handschriften von Johann Salamon Petényi,' 116.
 Cuckoo, Black-billed, 300.
 California, 143.
 Mangrove, 6, 399.
 Yellow-billed, 9, 22, 279, 282, 300.
Cuculus canorus, 346.
 Curlew, Bristle-thighed, 184.
 Eskimo, 61, 274, 451, 459.
 Hudsonian, 142, 173, 384, 451.
 Long-billed, 59, 453.
 Pink, 397.
 Curruca, 229.
Cyanerpes cærulea trinitatis, 471.
Cyanocephalus cyanocephalus, 422.
Cyanocitta cristata, 45.
 stelleri, 145.
 stelleri annectens, 109.
 stelleri carbonacea, 415.
 stelleri diademata, 422.
Cyanospiza amcena, 146, 417.
 cyanea, 156, 478.
Cygnus passmori, 446.
Cypcelus vauxi, 225.
Cypseli, pterylosis of, 70-77, 244.
Cypseloides niger, 71, 75.
 niger borealis, 144.
Cypselus apus, 72, 77.
 vauxii, 224.
 DACNIS protonotarius, 300.
Dafila acuta, 140, 413, 444.
 Darter, 367.
 Dawson, W. Leon, *Chætura vauxi*: a correction, 224; announcement of his work 'The Birds of Washington,' 359.
 Deane, Ruthven, a northern record for the Swallow-tailed Kite (*Elanoides forficatus*) in Wisconsin, 100; another large flight of Snowy Owls, 100; unpublished letters of John James Audubon and Spencer F. Baird, 194-209, 318-334; Great Gray Owl (*Sco-tiapterx cinerea*) in Minnesota, 222; unusual abundance of the Snowy Owl, 283-298.
 Delaware Valley Ornithological Club, review of Proceedings of, 242.
Dendragopus canadensis, 313.
 obscurus fuliginosus, 142.
Dendrexetastes devillei, 482.
Dendrocincla, 114.
 anabatina, 114.
 merula, 481.
 olivacea lafresnayeii, 481.
Dendrocoryna autumnalis, 218.
 fulva, 218.
Dendroica æstiva, 17, 22, 24, 147.
 æstiva brewsteri, 417.
 æstiva sonorana, 424.
 auduboni, 147, 230, 390, 424, 465.
 auduboni nigrifrons, 230.
 blackburniæ, 24, 158.
 cærulescens, 22, 24.
 castanea, 20, 24, 157, 174.
 cerulea, 24.
 coronata, 15, 23, 24, 46, 147, 157.
 discolor, 105.
 dominica, 158.
 maculosa, 24, 157.
 nigrescens, 147, 424.
 occidentalis, 147.
 palmarum, 15, 23, 24, 158, 345.
 palmarum hypochrysea, 46, 158.
 pennsylvanica, 17, 24, 157.
 striata, 20, 23, 24, 157.
 tigrina, 105.
 townsendi, 147.

- Dendroica vigorsii*, 15, 46, 273, 275.
 virens, 15, 17, 24, 158.
Dendromanes, 114.
Dendroornis dorbigniana, 482.
 obsoleta multiguttata, 482.
 rostrispallens, 483.
 weddellii, 482.
Dickcissel, 9.
Diomedea fusca, 307.
 nigripes, 308.
Dipper, American, 108, 147.
Dippers, geographical distribution
 of, 111.
Dolichonyx oryzivorus, 461.
Dove, 399.
 Florida, 399.
 Mexican Ground, 385.
 Mourning, 13, 45, 142, 336,
 385, 399, 413, 420, 474.
 Tobacco, 399.
 White-winged, 6, 385.
Dovekie, 314, 441.
Dowitcher, 7, 449.
 Long-billed, 141, 449.
Dryobates borealis, 14, 45, 62.
 maynardi, 163, 169.
 maynardi piger, 169.
 pubescens, 45, 101.
 pubescens gairdneri, 143.
 pubescens turati, 414.
 scalaris bairdi, 421.
 scalaris graysoni, 388.
 villosus, 164-171, 266.
 villosus auduboni, 45, 163,
 167, 171.
 villosus harrisi, 143, 163,
 168, 171, 266.
 villosus hyloscopus, 167, 171,
 266, 414, 421.
 villosus intermedius, 163,
 169, 266.
 villosus leucini, 168, 266.
 villosus leucomelas, 163, 166,
 171, 265.
 villosus monticola, 163, 168,
 171.
Dryobates villosus piger, 163, 169.
Duck, American Scaup, 140.
 Autumnal Tree, 218.
 Black, 154, 218, 315, 332,
 444.
 Canvas-back, 140.
 Fulvous Tree, 218.
 Harlequin, 140, 445.
 Lesser Scaup, 140, 383, 445.
 Long-tailed, 7, 314.
 Masked, 335.
 Old-squaw, 140.
 Pintail, 7, 140, 413.
 Redhead, 140.
 Red-legged Black, 56, 444.
 Ring-necked, 140, 332, 445.
 Ruddy, 332, 446.
 Scaup, 203, 445.
 South-southerly, 332.
 Summer, 332.
 Wood, 140, 444.
Dunlin, American, 273.
Dwight, Jonathan, Jr., status and
 plumages of the White-winged
 Gulls of the genus *Larus*, 26-43;
 first capture of Townsend's Soli-
 taire (*Myadestes townsendi*) on
 Long Island, N. Y., 105;
Dyche, L. L., the Red Phalarope
 (*Crymophilus fulicarius*), a new
 bird for the Kansas list, 220.
Dyke, Arthur C., nest of Saw-whet
 Owl at Bridgewater, Mass., 237.
Dysithamnus *affinis andrei*, 471.
EAGLE, Bald, 222.
 Golden, 62, 142, 258, 314,
 420.
 Northern Bald, 143.
Ectopistes *macroura*, 475.
 migratorius, 61, 273.
Edoliisoma *elusum*, 236.
Egret, American, 383, 447, 457.
 Reddish, 7.
Egretta *candidissima*, 14.
Eider, American, 314, 453.

- Eider, King, 445.
Pacific, 140.
- Eifrig, C. W. G., notes on some
northern birds, 313-318.
- Elainea obscura, 481.
- Elanoides forficatus, 62, 100.
- Elanus leucurus, 14.
- Emberiza americana, 310.
bairdii, 309.
graminea, 311.
henslowii, 307.
leconteii, 309.
ornata, 310.
pallida, 312.
shattuckii, 309.
townsendii, 112, 307.
(Zonotrichia) gracilis, 474.
- Empidonax acadicus, 195.
difficilis, 144.
flaviventris, 195.
hammondi, 144.
minimus, 174, 195.
traillii, 144.
traillii alnorum, 195, 235.
virescens, 154, 195.
wrightii, 421.
- Ereunetes mauri, 98.
occidentalis, 58, 97, 141,
384, 450.
pusillus, 59, 449.
- Erismatura jamaicensis, 446.
- Erithacus, 229.
- Erolia ferruginea, 449.
- Estabrook, A. H., the English
Sparrow Problem, 246.
- Eucephala cæruleo-larvata, 80.
- Eugenes fulgens, 82.
- Euphagus carolinus, 45, 317.
cyanocephalus, 145, 415,
422.
- Eustis, R. S., nesting of the Junco
in eastern Massachusetts, 103.
- FALCO bachmanii, 308.
columbarius, 143, 304, 386.
columbarius suckleyi, 143.
- Falco feldiggi, 117.
harlani, 307.
hyemalis, 304.
islandicus, 304, 309.
labradora, 303, 304, 307, 309.
lagopus, 310.
lineatus, 304.
peregrinus anatum, 99, 143,
341.
richardsoni, 420.
sacer, 117.
sparverius, 45, 387.
sparverius phalæna, 143, 414,
420.
stanleyi, 306, 309.
stanleyi, 306, 309.
temerarius, 304, 307.
washingtonii, 306.
- Falcon, Peregrine, 258.
- Fatio, Victor, announcement of
death of, 356; obituary of, 484.
- Finch, Bachman's, 227, 341.
Brown, 311.
California Purple, 145, 415.
House, 390, 407, 416, 422.
Pine, see Siskin.
Purple, 10, 468.
Townsend's, 300.
- Fisher, Walter K., a suggestion,
245.
- Flamingo, American, 397.
- Fleming, James H., an Arctic
record for the American White
Pelican, 218; Chuck-will's widow
and Mockingbird in Ontario,
343; Birds of Toronto, Ontario,
Part 1, Water Birds, 437-453.
- Flicker, Golden-winged, 45, 232,
347.
Northwestern, 144.
Red-shafted, 144, 403, 409,
414, 421.
- Florida cærulea, 14, 57, 398.
- Florisuga mellivora, 69, 79.
- Flycatcher, Alder, 235.
Ash-throated, 144, 414, 421.

- Flycatcher, Beardless, 460.
 Crested, 9, 13, 278.
 Derby, 389.
 Green-crested, 13, 154, 278.
 Hammond's, 144.
 Lawrence's, 389.
 Least, 281, 468.
 Little Tyrant, 198, 199.
 Olivaceous, 389.
 Olive-sided, 144, 316.
 Small-headed, 312.
 Swallow-tailed, 14, 460.
 Traill's, 144, 281, 321.
 Vermilion, 422.
 Western, 144.
 Wright's, 421.
 Yellow-bellied, 196, 206, 208.
- Fowler, Henry W., birds observed in the Florida Keys, 396-400.
- Fregata aquila, 382, 397.
- Frinca townsendi, 303, 307, 310.
- Fringilla americana, 310.
 bachmani, 307.
 borealis, 310.
 chlorura, 308.
 cinerea, 308.
 cerulea, 309.
 corulea, 309.
 frontalis, 310.
 grammaca, 312.
 harrisi, 309.
 iliaca, 312.
 laponica, 310.
 lapponica, 310.
 leucophrys, 207.
 lincolni, 307.
 macgillivrayi, 308.
 maculata, 303, 307, 310.
 melanocephala, 310.
 mexicana, 310.
 mortoni, 308.
 psaltria, 310.
 spaltria, 310.
 tephrocotis, 310.
- Fringilla townsendi, 310, 312.
- Fulica americana, 14, 141, 193, 383, 413, 448.
- Fuligula clangula, 310.
 dispar, 310.
 glacialis, 207.
 marila, 320.
 rufitorques, 320.
 stelleri, 310.
- GADWALL, 140, 444.
- Galeoscoptes carolinensis, 160.
- Gallinago delicata, 14, 141, 448.
- Gallinula galeata, 14, 189-194, 413, 448.
- Gallinule, Cinereous, 367.
 Florida, 189-194, 413, 448.
 Purple, 367, 448.
- Gannet, 173, 274, 443.
- Gauldin, 398.
- Gavia adamsi, 304.
 arctica, 452.
 imber, 139, 441.
 lumme, 139, 314, 441.
- Geococcyx californianus, 414, 421.
- Geothlypis philadelphia, 22, 24.
 trichas, 275.
 trichas arizela, 147, 417.
 trichas brachidactyla, 18, 20, 23, 24, 345.
 trichas ignota, 46, 227.
 trichas occidentalis, 424.
 tolmiei, 147.
- Geotrygon linearis, 472.
 venezuelensis, 472.
- Glaucidium gnoma californicum, 143.
 phalænoides, 387, 478.
 phalænoides ridgwayi, 478.
- Gnatcatcher, Blue-gray, 6, 160, 278.
 Western, 425.
- Godwit, Hudsonian, 335, 450.
 Marbled, 59, 450.
- Golden-eye, American, 140, 332, 445.

- Golden-eye, Barrow's, 445.
 Goldfinch, American, 46, 155, 282.
 Green-backed, 187, 416.
 Lawrence, 407, 416.
 Willow, 145, 187, 416.
 Goose, American White-fronted,
 141, 453.
 Blue, 446.
 Blue Snow, 314.
 Canada, 446.
 Hutchins's, 141, 446.
 Lesser Snow, 219, 453.
 Snow, 314.
 White-cheeked, 141.
 Gooseander, 332.
 Goshawk, American, 100, 314.
 Mexican, 386.
 Western, 142.
 Grackle, Boat-tailed, 46, 400.
 Bronzed, 433.
 Florida, 9, 46.
 Purple, 300.
 Rusty, 45.
 Grebe, Eared, 312.
 Holboell's, 139, 314, 440.
 Horned, 139, 441.
 Pied-billed, 45, 56, 139.
 Western, 139.
 Grinnell, Joseph, the status of the
 "San Francisco Titmouse," 186-
 188; questionable records, 229;
 the Catalina Island Quail, 262-
 265.
 Grosbeak, Black-headed, 146, 409,
 423.
 Blue, 203.
 California Black-headed, 417.
 Pine, 173.
 Rose-breasted, 22, 279, 280.
 Western Blue, 390, 404, 417.
 Western Evening, 145, 422.
 Grouse, Oregon Ruffed, 142.
 Ruffed, 241, 236.
 Sharp-tailed, 313.
 Sooty, 142.
 Grus mexicana, 141, 447.
 Guacamayo, 427.
 Guara alba, 14, 383, 397.
 Guillemot, Black, 172, 441.
 Pigeon, 139, 412.
 Guiraca cærulea lazula, 390, 417.
 Gull, Black-headed, 396.
 Bonaparte's, 130, 131, 139,
 442.
 Burgomaster, 26.
 California, 139, 183.
 Franklin's, 452.
 Glaucous, 26, 30-34, 315,
 442.
 Glaucous-winged, 26, 35, 130,
 131, 139.
 Great Black-backed, 172,
 442.
 Herring, 45, 110, 131, 314,
 442.
 Heermann's, 131, 133, 139,
 369, 372, 375, 377, 412.
 Iceland, 26, 34, 442.
 Ivory, 442.
 Kumlien, 26, 36-41.
 Laughing, 45, 442, 454.
 Nelson's, 26, 41.
 Point Barrow, 26.
 Ring-billed, 45, 131, 172, 442.
 Rosy, 348.
 Sabine, 452.
 Short-billed, 130, 131, 139.
 Western, 130, 131, 134-136,
 139, 369, 372, 377, 412.
 White-winged, 26-43.
 Gullie, 396.
 Gymnogyps californianus, 413.
 Gyrfalcon, 182.
 HÆMATOPUS bachmani, 310.
 frazari, 384.
 ostralegus, 309.
 palliatu8, 58, 309.
 townsendi, 310.
 Haliæetus leucocephalus, 14, 222.

- Haliæetus leucocephalus alascanus*, 143.
- Hantzsch, Bernhard, notice of his 'Beitrag zur Kenntniss der Vogelwelt Islands,' 115.
- Haplospiza montosa, 236.
- Harelda hyemalis, 140, 173, 314, 445.
- Hartert, Ernst, On the Criticism of Heft III of 'Die Vögel der paläarktischen Fauna,' 120-122.
- Harvie-Brown, J. A., notice of his 'Travels of a Naturalist in Northern Europe,' 117.
- Hathaway, Harry S., the Water-Thrush (*Seiurus noveboracensis*) nesting in Rhode Island, 463.
- Hawk, American Sparrow, 45 387.
Broad-winged, 173.
Cooper's, 142, 173, 413, 420.
Desert Sparrow, 143, 409, 414, 420.
Duck, 99, 143, 341.
Ferruginous Rough-legged, 420.
Fish, 399.
Florida Red-shouldered, 399.
Fowl, 399.
Man-o'-War, 397.
Marsh, 142, 182, 413, 420.
Mexican Black, 386.
Pigeon, 143, 386.
Red-shouldered, 173.
Red-tailed, 23, 45.
Rough-legged, 182, 314.
Sharp-shinned, 142, 173, 344, 420.
Swainson's, 414.
Western Red-tailed, 142, 405, 414, 420.
- Heleodytes brunneicapillus couesi, 424.
- Helinaia peregrina, 206.
rubricapilla, 206.
solitaria, 206.
swainsoni, 156, 227.
- Hellmayr, C. E., notice of his 'Birds of the Island of Trinidad,' 470.
See also Ménégau, A.
- Helminthophaga lawrencei, 112.
leucobronchialis, 112.
- Helminthophila bachmani, 227.
celata, 46, 157, 344, 424.
celata lutescens, 147, 465.
chrysoptera, 24, 104.
lawrencei, 112, 345.
leucobronchialis, 112.
peregrina, 22, 24, 157.
pinus, 16, 104, 344, 345.
rubricapilla, 22.
rubricapilla gutturalis, 147.
virginia, 424, 465.
- Helmitherus vermivorus, 157.
- Helodromas solitarius, 316, 450.
- Hemiprocne acuta, 75.
collaris, 75.
zonaris, 74.
- Hen, Heath, 241.
Mud, 398.
Prairie, 237, 241.
- Herodias egretta, 14, 383, 447, 457.
- Heron, Anthony's Green, 413.
Big White, 397.
Black-crowned Night, 57, 277, 447.
Blue, 397.
European Blue, 260.
Great Blue, 45, 108, 252-262, 375, 383, 398, 413, 419, 447.
Green, 7, 57, 398, 432-436, 447.
Little Blue, 7, 57, 277, 398.
Louisiana, 7, 57, 398.
Northwest Coast, 141.
Snowy, 7.
White, 397.
Yellow-crowned Night, 7, 57, 220, 398, 447, 457.
- Hesperiphona vespertina montana, 145, 422.
- Heterocnemis, 471.

- Heteropoda cabanisi*, 97.
 mauri, 97.
 minor, 97.
 semipalmata, 97.
Himantopus mexicanus, 57, 346, 413.
Hirundo americana, 309.
 erythrogastra, 146, 156, 423.
 erythrogastra palmeri, 417.
 purpurea, 311.
 rustica, 309.
 serripennis, 308.
 thalassina, 310.
Histrionicus histrionicus, 140, 445.
Hæmatopus bachmani, 307, 310.
 townsendi, 307, 310.
Holmes, La Rue K., obituary of, 356.
Hopkins, F. H., the Bobolink in Colorado, 461.
Houghton, C. O., the Masked Duck in Maryland, 235.
Howell, Arthur H., notice of his 'Birds that eat the Cotton Boll Weevil,' 475.
Hummer, see *Hummingbird*.
Hummingbird, Allen's, 144, 414.
 Anna, 414.
 Broad-tailed, 109.
 Calliope, 144.
 Grayson's, 388.
 Lawrence's, 389.
 Ruby-throated, 278, 282.
 Rufous, 144.
Hummingbirds, feather tracts of, 77-91, 243.
Hunn, John T. Sharpless, notes on birds of Silver City, New Mexico, 418-425.
Hunt, Chreswell J., change of location of a Crow roost, 429-431.
Hydranassa tricolor ruficollis, 14, 57, 398.
 tricolor rufimentum, 471.
Hydrochelidon surinamensis, 412.
 nigra surinamensis, 443.
Hylocichla aonalaschkæ pallasii, 47.
 aonalaschkæ slevini, 418.
 fuscescens, 160.
 fuscescens salicicola, 345.
 guttata auduboni, 425.
 guttata nana, 148.
 guttata pallasii, 160, 174.
 ustulatus, 148, 418.
IACHE lawrencei, 389.
 magica, 478.
Ibis, Brown, 397.
 Glossy, 453.
 Scarlet, 6.
 White, 383, 397.
 White-faced Glossy, 383, 413.
 Wood, 56.
Icteria virens, 19.
 virens longicauda, 147, 390, 417.
Icterus abeillei, 478.
 baltimore, 311.
 bullocki, 145, 415, 422.
 cucullatus nelsoni, 415, 422.
 gaulanensis, 235.
 giraudi, 235.
 graysoni, 390.
 parisorum, 422.
 pustulatus, 390.
Ictinia mississippiensis, 14, 61.
Indigo-bird, 468.
Ionornis martinica, 14, 56, 448.
Iridoprogne bicolor, 146.
 bicolor vespertina, 417.
Ixoreus nævius, 148.
JACANA, Mexican, 384.
Jacana spinosa, 384.
Jaeger, Long-tailed, 452.
 Parasitic, 131, 139, 184, 441.
 Pomarine, 452.
Jay, Arizona, 422.
 Belding's, 415.
 Black-headed, 109.

- Jay, Blue, 45, 347.
California, 409, 415.
Canada, 313, 316.
Coast, 412, 415.
Florida Blue, 6.
Labrador, 313.
Long-crested, 422.
Oregon, 145.
Piñon, 422.
San Blas, 389.
Steller's, 145.
Woodhouse's, 422.
- Jenkins, Hubert O., variation in the
Hairy Woodpecker (*Dryobates vil-
losus* and subspecies), 161-171.
- Judd, Sylvester D., notice of his
'The Bobwhite and other Quails
of the United States in their
Economic Relations,' 119, 241.
- Junco caniceps, 423.
hyemalis, 103, 465.
hyemalis connectens, 423.
hyemalis oregonus, 146.
hyemalis pinosus, 416.
hyemalis shufeldti, 146.
mearnsi, 423.
- Junco, Gray-headed, 423.
Oregon, 146.
Pink-sided, 423.
Point Pinos, 412, 416.
Shufeldt's, 146, 423.
Slate-colored, 103, 251, 347.
- KEYS, Charles R., prolific Duck
Hawks, 99.
- Kicker, 457.
- Killdeer, 7, 45, 142, 413, 420, 451.
- Killing-peter, 396.
- Kingbird, 8, 13, 67, 144, 278, 281,
282.
Arkansas, 144, 389, 414, 421.
Cassin's, 421.
Couch's, 389.
Gray, 399.
- Kingfisher, Belted, 143, 414, 421.
Great Rufous-bellied, 388.
- Kingfisher, Texan, 388.
- Kinglet, Golden-crested, 327.
Golden-crowned, 23, 47, 278,
282, 345.
Ruby-crowned, 47, 278, 279,
282, 425.
Sitka Ruby-crowned, 148.
Western Golden-crowned,
148.
- Kite, Fork-tailed, 281.
Mississippi, 61, 281, 312.
Swallow-tailed, 100.
- Kittiwake, 314, 442.
Pacific, 130, 131.
- Klugh, N. B., a third record for the
Prairie Warbler in Canada, 105;
the Carolina Wren a summer
resident of Ontario, 105.
- Knot, 141, 449.
- Krause, George, his 'Oologia uni-
versalis palæarctica,' announced,
128.
- LAGOPUS americanus, 308.
lagopus, 313.
rupestris, 313.
- Lampornis violicauda, 81.
- Lanio lawrenci, 471.
- Lanius borealis, 146, 313.
excubitor, 309.
ludovicianus, 15, 46.
ludovicianus excubitorides,
423.
ludovicianus gambeli, 417.
septentrionalis, 309.
- Lapwing, European, 221.
- Lark, Brown, 300.
Horned, 120, 241, 314.
Hoyt's Horned, 345.
Mexican Horned, 403, 406,
415.
Prairie Horned, 101, 225,
461.
Shore, 314.
Streaked Horned, 145.
- Larus arcticus, 28.

- Larus argentatus*, 45, 314, 442.
atricilla, 14, 45, 396, 442, 454.
barrovianus, 26, 28.
brachyrhynchus, 139.
californicus, 139.
candidus, 35.
canus, 309.
chalconotus, 41.
delawarensis, 45, 172, 442.
franklinii, 452.
glacialis, 35, 315.
glaucescens, 26, 28, 35.
glaucus, 26, 28, 30-34, 442.
heermanni, 139, 337, 412.
hutchinsii, 30.
kumlienii, 26, 28, 36.
leucopterus, 26, 28, 34, 442.
marinus, 173, 442.
nelsoni, 26, 28, 41.
occidentalis, 139, 308, 337, 412.
philadelphia, 139, 442.
zonorhynchus, 309.
Leptasthenura montivagans, 236.
Lestris parasitica, 310.
parasiticus, 310.
pomarina, 309.
pomarinus, 309.
Leucochloris albicollis, 82.
Leucosticte tephrocotis, 465.
 Leverkuhn, Paul, obituary of, 247.
Limosa fedoa, 59, 450.
hæmastica, 335, 450.
 Limpkin, 231.
Linaria pinus, 207.
tephrocotis, 310.
Linota borealis, 310.
 Longspur, Chestnut-collared, 422.
 Lapland, 184, 314.
 Loon, 139, 314, 368, 441.
 Black-throated, 452.
 Red-throated, 139, 314, 441.
Lophodytes cucullatus, 140, 444.
Lophortyx californica vallicola, 263, 413.
californicus, 142, 413.
Lophortyx catalinensis, 262.
douglasi, 384.
gambeli, 420.
 Louis d'Or, 394.
Loxia curvirostra minor, 145, 176, 313, 339.
leucoptera, 174, 339.
mexicana, 474.
 Lucas, F. A., the speed of birds, 480.
Luscinia, 228.
aëdon, 229.
megarhynchus, 228.
 MACROPTERYX *coronata*, 72.
Macrorhamphus griseus, 59, 60, 449.
scolopaceus, 59, 141, 449.
 Magpie, American, 145, 439.
 Maine Ornithological Society, 487.
 Mallard, 140, 219, 327, 332, 444.
Mareca americana, 140, 444.
 Marshall, Margeret E., notice of her paper on the anatomy of *Phalacroptilus*, 237.
 Martin, Purple, 46, 109, 146, 277, 423.
 Western, 417.
 McAtee, W. L., notice of his 'The Horned Larks in their Relation to Agriculture,' 120, 241; notice of his 'Ecological Notes on Birds occurring within a radius of five miles of the Indiana University Campus,' 237; the shedding of the stomach lining by birds, 346; Virginia creeper as a winter food for birds, 346.
 McGregor, Richard C., notice of papers by on Philippine birds, 235.
 McGregor, Richard C., and Dean C. Worcester, notice of their 'Hand-List of the Birds of the Philippine Islands,' 472.
 McKechnie, F. B., a late spring record for the Yellow Rail (*Por-*

- zana noveboracensis*) in Massachusetts, with remarks on the 'ornithological mystery,' 457.
- Meadowlark, 13.
Southern, 6, 8, 155.
Western, 145, 415, 422.
- Meeker, Jesse C. A., a male Golden-winged Warbler (*Helminthophila chrysoptera*) mated with a female Blue-winged Warbler (*H. pinus*) at Bethel, Conn., 104.
- Megaquiscalus major, 46.
major obscurus, 390
- Megascops asio, 48-55, 316.
asio bendirei, 414.
asio cineraceus, 421.
asio kennicottii, 143.
- Melanerpes erythrocephalus, 14, 45.
formicivorus, 421.
formicivorus bairdi, 414.
- Meleagris gallopavo, 300.
- Mellisuga minima, 84.
- Melopelia leucoptera, 385.
- Melospiza cinerea cooperi, 416.
cinerea heermanni, 416.
cinerea melodia, 156.
cinerea morphna, 146.
cinerea sanctæcrucis, 416.
georgiana, 156, 174.
lincolni, 174, 423.
lincolnii striata, 474.
- Ménégaux, A., and C. E. Hellmayr, notice of their studies of the Passeres Tracheophones of the Paris Museum, 351-353; the supposed types in the Lafresnaye Collection, 480-483.
- Merganser americanus, 140, 418, 443.
serrator, 140, 443.
- Merganser, American, 140, 443.
Hooded, 140, 332, 444.
Red-breasted, 140, 443.
- Mergullus antiquus, 310.
- Mergus cucullatus, 311.
- Merlin, Black, 143.
- Merlin, Richardson's, 420.
- Merriam, C. Hart, notice of his 1905 report as Chief of the Biological Survey, 248.
- Merula migratoria, 15, 47, 148, 229, 314, 342.
migratoria propinqua, 148, 425.
- Michigan Ornithological Club, annual meeting of, 347.
- Micropalama himantopus, 449.
- Microptera americana, 308.
- Micropus æquatorialis, 77.
caffer streubeli, 77.
melba, 77.
- Miller, W. DeW., occurrence of *Progne chalybea* in Texas, 226; breeding of the Savanna Sparrow (*Passerculus sandwichensis savanna*) in southern New Jersey, 340; notice of his papers on Birds collected in Southern Sinaloa, and in Durango, 478.
- Mimus polyglottos, 46, 344, 400.
polyglottos leucopterus, 390, 417, 424.
- Mionectes oleagineus pallidiventris, 471.
- Mniotilta varia, 16, 24, 156.
- Mocker, 400.
- Mockingbird, 46, 277, 344, 400.
Western, 390, 403, 408, 417.
- Molothrus ater, 145, 422.
- Momotus mexicanus, 388.
- Morris, Robert O., the Rough-winged Swallow and Duck Hawk near Springfield, Mass., 341; the Rough-winged Swallow (*Stelgidopteryx serripennis*) nesting near Springfield, Mass., 463.
- Motacilla curruca, 229.
rubecula, 229.
sibillatrix, 229.
- Motmot, Rufous-crowned, 388.
- Murre, 452.
Brünnich's, 314, 441.

- Murre, California, 139, 377, 412.
 Murrelet, Marbled, 139.
 Muscicapa acadica, 206.
 bonapartii, 306.
 canadensis, 309.
 cooperi, 309.
 dominicensis, 309, 311.
 gilva, 309.
 inornata, 309.
 leibii, 206.
 mitrata, 304.
 nigricans, 311.
 olivacea, 481.
 phoebe, 311.
 pusilla, 198, 199, 206, 309,
 311, 321.
 richardsonii, 311.
 selbii, 304, 306.
 sp., 203, 305.
 traillii, 207, 306.
 wilsonii, 309.
 Muscicapara boliviana, 481.
 Muscivora forficata, 460.
 Myiadestes townsendi, 105, 148, 425.
 Myiarchus cinerascens, 144, 414,
 421, 465.
 crinitus, 465.
 lawrencei, 389.
 lawrencei olivascens, 389.
 Myiodiotes canadensis, 206.
 wilsonii, 206.

 NASH, C. W., notice of his 'Check
 List of the Birds of Ontario,'
 353.
 Nasica guttatoidea, 352, 481.
 National Association of Audubon
 Societies, first annual meeting
 of, 126; bequest to, 486.
 Nettion carolinensis, 140, 383, 419,
 444.
 Newton, Alfred, notice of his 'Oo-
 theca Wooleyana,' 118.
 Nighthawk, 8, 13, 64, 144, 279,
 282, 399.
 Pacific, 414.
 Nighthawk, Texas, 388.
 Nightingale, 228.
 Nomonyx dominicus, 335.
 Norton, Arthur H., the eastern
 distribution of the Prairie
 Horned Lark; a question of
 evidence, 225; occurrence of the
 Titlark (*Anthus pensilvanicus* in
 Maine, in spring, 341; a second
 Yellow-crowned Night Heron
 (*Nycticorax violacea*) at Port-
 lande, Me., 457.
 Nucifraga columbiana, 310.
 Numenius borealis, 61, 274, 451,
 459.
 hudsonicus, 59, 142, 173, 384,
 451.
 longirostris, 59, 60, 453.
 Nuthatch, Brown-headed, 47.
 Pigmy, 417, 424.
 Red-breasted, 148.
 Slender-billed, 148, 424.
 White-breasted, 47, 345, 347.
 Nuttallornis borealis, 144, 316.
 Nyctala tengmalmi richardsoni, 222.
 Nyctanassa violacea, 57, 398, 447.
 Nyctea nivea, 100.
 nyctea, 143, 271-273, 283-
 298.
 Nycticorax nycticorax naevius, 14,
 57, 447.
 violaceus, 220, 457.

 OBERHOLSER, Harry C., notice of
 his 'A Monograph of the Genus
 Dendrocincla Gray,' 114; the
 proper generic name for the
 Nightingale, 228; notice of his
 'A Monograph of the Genus
 Collocalia,' 473; notice of papers
 by, on 'An earlier Name for
 Melospiza lincolni striata,' 'the
 Specific Name of the Hawk Owls,'
 and '*Piranga erythromelas* versus
 Piranga mexicana,' 474.
 Oceanites oceanicus, 350.

- Oceanodroma castro, 274.
 cryptoleuca, 274.
 leucorhoa, 97, 173.
 macrodactyla, 185.
 melania, 185, 378.
 monorhis **chapmani**, 185.
 soccoeroensis, 185.
 Oechthodromus wilsonius, 58, 398,
 453.
 Œstrelata gularis, 217.
 Oidemia americana, 141, 230, 445.
 deglandi, 141, 173, 446.
 perspicillata, 141, 314, 446.
 Olbiorchilus hiemalis pacificus, 148.
 Old-squaw, 140, 445, 478.
 Oldys, Henry, see Palmer, T. S.
 Olor buccinator, 446.
 columbianus, 141, 446.
 Oporornis formosa, 158, 345.
 Oreortyx pictus, 142, 245.
 pictus plumiferus, 245.
 Oreospiza chlorura, 423.
 Oriole, Arizona Hooded, 408, 415,
 422.
 Baltimore, 279.
 Bullock's, 145, 402, 407, 415,
 422.
 European Golden, 353.
 Grayson's, 390.
 Orchard, 8, 278, 279, 281.
 Red, 400, 408.
 Scarlet-headed, 390.
 Scott's, 422.
 Oriolus galbula, 353.
 Ornithion imberbe, 460.
 Oroscoptes montanus, 424.
 Ortalis vetula maccalli, 385.
 Orthorhynchus exilis, 85.
 Osgood, Fletcher, the Towhee nest-
 ing in bushes, 462; a Robin's
 nest without mud, 464.
 Osprey, American, 143, 399.
 Otocoris alpestris, 314.
 alpestris actia, 415.
 alpestris hoyti, 345.
 alpestris occidentalis, 422.
 Octoris alpestris praticola, 101, 225,
 461.
 alpestris strigata, 145.
 Oustalet, Emile, obituary of, 355.
 Ovenbird, 18, 24, 158, 279.
 Owl, American Barn, 337.
 American Hawk, 108.
 American Long-eared, 421.
 Arctic Horned, 469.
 Barn, 420.
 Barred, 23, 45.
 Burrowing, 143, 414, 421.
 California Pygmy, 143.
 California Screech, 414.
 Dusky Horned, 143.
 European Hawk, 474.
 Great Gray, 222, 316.
 Hawk, 184, 474.
 Horned, 387.
 Kennicott's Screech, 143.
 Long-eared, 143, 203, 335.
 Mexican Screech, 421.
 Northern Spotted, 143.
 Northwest Screech, 143.
 Pygmy, 387.
 Richardson's, 180, 222.
 Saw-whet, 337.
 Screech, 48-55, 387.
 Short-eared, 143, 203.
 Snowy, 100, 143, 180, 271-
 273, 283-298.
 Western Horned, 421.
 Oxyechus vociferus, 45, 142, 413,
 420, 451.
 Oyster-catcher, Frazer's, 384.
 PACHYRAMPHUS niger cinereiven-
 tris, 472.
 Pachysylvia aurantiifrons saturata,
 471.
 Pagophila alba, 442.
 Palmer, T. S., additional American
 records of the Ruff, 98; notice
 of his 'Federal Game Protection
 — a five years' Retrospect,' 475;

- notice of his 'Game Protection in 1905,' 477.
- Palmer, T. S., Henry Oldys and R. W. Williams, Jr., notice of their 'Game Laws for 1905,' 242.
- Pandion haliaëtus carolinensis, 14, 143, 399.
- Paroquet, Carolina, 237.
- Parrakeet, Red-and-Blue-headed, 388.
- Parrot, Double Yellow-headed, 387.
Finsch's, 387.
Thick-billed, 223, 425-428.
White-fronted, 387.
- Partridge, California, 142, 230, 413.
Gambel's, 420.
Gray, 477.
Mountain, 142.
Scaled, 420.
Valley, 413.
- Parus atricapillus, 309, 313.
atricapillus occidentalis, 148.
carolinensis, 47, 308, 309.
cinctus alascensis, 181.
dejeani, 121.
gambeli, 424.
hudsonicus, 178, 313.
hypermelæna, 121.
palustris, 121.
rufescens, 148.
rufescens barlowi, 417.
rufescens neglectus, 245.
sclateri, 121.
- Passer domesticus, 145, 173, 246, 416, 422.
- Passerculus princeps, 65, 230.
rostratus, 149-152.
rostratus sanctorum, 150.
sandwichensis alaudinus, 145.
sandwichensis savanna, 46, 155, 340.
- Passerella iliaca, 173.
iliaca unalaschensis, 146.
- Passerina nivalis, 102, 145.
- Pastor roseus, 346.
- Patagona gigas, 69, 80.
- Pavoncella pugnax, 98, 450.
- Peabody, P. B., his 'Nesting Ways of North American Birds' announced, 359.
- Pediæcetes phasianellus, 313.
- Pelecanus americanus, 310.
californicus, 382.
erythrorhynchos, 14, 140, 218, 413, 453.
fuscus, 310, 396.
occidentalis, 453.
- Pelican, American White, 140, 402, 413, 453.
Brown, 396, 453.
California Brown, 132, 137, 369, 382, 413.
White, 218.
- Pelicanus americanus, 307, 310.
- Pelidna alpina pacifica, 273.
alpina sakhalina, 59, 141, 449.
- Penguin, Ringed, 350.
- Penthestes carolinensis, 342.
- Perisoreus canadensis, 316.
canadensis nigricapillus, 313.
obscurus, 145.
- Petényi, Johann Salamon, see Csörgey, T.
- Petrel, Black, 375-378.
Black-capped, 443.
Cape, 350.
Hawaiian, 274.
Leach's, 97, 173.
Peale's, 217.
Snowy, 350.
Wilson's, 173, 350.
- Petrochelidon lunifrons, 146, 417, 423.
lunifrons tachina, 479.
- Peucæa æstivalis, 15.
æstivalis bachmani, 228, 341.
lincolni, 207.
- Pewee, Western Wood, 415.
Wood, 9, 20, 154, 278, 281, 282.
- Phaëthon æthereus, 378.

- Phainopepla, 409, 417.
 Phainopepla nitens, 417.
 Phalacrocorax carbo, 443.
 dilophus, 274, 443.
 dilophus cinctatus, 140.
 floridana, 311.
 leuconota, 308.
 leucurus, 308.
 mexicanus, 14, 382.
 pelagicus resplendens, 413.
 penicillatus, 140, 412.
 resplendens, 307.
 townsendi, 307.
 Phalacroptilus nuttalli nitidus, 237.
 Phalarope, Northern, 141, 173, 448.
 Red, 106, 220, 448.
 Wilson's, 335, 344, 413, 448.
 Phalaropus fulicarius, 310.
 lobatus, 141, 173, 448.
 platyrhynchus, 310.
 Phalaris cristatella, 310.
 superciliaris, 310.
 superciliata, 310.
 Phasianus americanus, 308.
 sp., 142.
 Pheasant, Mongolian, 142.
 Pheugopedius felix, 391.
 Pheuticus uropygialis meridensis,
 236.
 Philohela minor, 14, 59, 174, 448.
 Philomela, 229.
 Phœbe, 45, 154, 279, 282.
 Black, 401, 415, 421.
 Say's, 144, 421.
 Phyllomyias brevirostris, 481.
 Piaya cayana insulana, 471.
 Pica pica hudsonica, 145.
 Picoides arcticus, 174, 316.
 Picus auduboni, 164.
 carolinus, 310.
 gairdnerii, 308.
 harrisi, 164, 307, 310.
 hirsutus, 310.
 hirsutus, 310.
 hyloscopus, 164.
 jardini, 166.
 Picus leucomelas, 164.
 martini, 307, 310.
 phillipsi, 307, 310.
 pileatus, 310.
 pubescens, 203.
 pyrrhonotus, 308.
 Pigeon, Band-tailed, 142, 420.
 Passenger, 61, 237, 273, 474.
 Red-billed, 385.
 Tres Marias, 385.
 White-crowned, 398.
 Pinicola enucleator leucura, 173.
 Pintail, 7, 140, 183, 444.
 Pipilo arctica, 310.
 crissalis, 416.
 crissalis senicula, 416.
 erythrophthalmus, 46, 317.
 fuscus mesoleucus, 423.
 maculatus arcticus, 423.
 maculatus atratus, 416.
 maculatus falcifer, 416.
 maculatus megalonyx, 416.
 maculatus oregonus, 146.
 Pipit, American, 46, 147, 159, 183,
 280, 282.
 Sprague's, 14, 232.
 Piranga erythromelas, 156.
 hæmalea, 471.
 ludoviciana, 146, 423.
 mexicana, 474.
 rubra, 15, 156.
 Pitangus derbianus, 389, 472.
 sulphuratus trinitatis, 471.
 Plectrophanes ornata, 310.
 smithii, 309.
 townsendi, 307, 310.
 Plegadis autumnalis, 453.
 guarauna, 383, 413.
 Plover, American Golden, 451.
 Belted Piping, 273.
 Black-bellied, 142, 173, 384,
 451, 459.
 Golden, 183, 184.
 Piping, 451.
 Semipalmated, 7, 45, 142,
 451.

- Plover, Snowy, 384, 452.
 Wilson's, 7, 453.
 Podiceps carolinensis, 309.
 Podilymbus podiceps, 14, 45, 56, 441.
 Polioptila cærulea, 160.
 cærulea obscura, 425.
 Polyborus cheriway, 387.
 cheriway pallidus, 387.
 Poœcetes gramineus, 15, 46, 155, 174.
 gramineus affinis, 145.
 gramineus confinis, 423.
 Porzana carolina, 141, 448.
 jamaicensis, 14, 141, 453.
 noveboracensis, 448, 457.
 Procellaria pacifica, 308.
 tenuirostris, 308.
 Progne chalybea, 226.
 subis, 46, 109, 146, 227, 423, 478.
 subis hesperis, 417, 478.
 Protonotaria citrea, 106.
 Psaltriparus minimus, 418.
 minimus californicus, 418.
 minimus saturatus, 148.
 plumbeus, 425, 465.
 Ptarmigan, Rock, 313.
 Willow, 313.
 Ptilogony's townsendi, 307, 310.
 Ptilogony's townsendi, 310.
 Puffinus auduboni, 217.
 cuneatus, 378.
 fuliginosus, 172.
 gravis, 172.
 Pyrocephalus rubineus mexicanus, 422.
 Pyrrhula frontalis, 310.
 QUERQUEDULA cyanoptera, 413, 419.
 discors, 140, 444.
 Quiscalus breweri, 309.
 ferrugineus, 311.
 major, 400.
 quiscula aglæus, 46, 399.
 RAIL, Black, 141, 453.
 Rail, California Clapper, 138.
 Carolina, 141.
 King, 45, 447.
 Little Black, 457.
 Sora, 141, 190, 448.
 Virginia, 141, 190, 447.
 Yellow, 448, 457.
 Ralfe, P. G., notice of his 'The Birds of the Isle of Man,' 240.
 Rallus crepitans, 14.
 crepitans scottii, 398.
 elegans, 45, 307, 447.
 virginianus, 141, 174, 447.
 Raven, American, 145, 237, 415, 422.
 Mexican, 319.
 Northern, 175, 313, 367.
 White-necked, 422.
 Ray, Milton S., a-birding in an auto, 400-418.
 Recurvirostra americana, 413, 448.
 Redhead, 140, 444.
 Redpoll, 102, 145, 181, 313, 314.
 Hoary, 184.
 Redshank, 396.
 Redstart, American, 10, 19, 24, 67, 159, 237, 279, 280, 282.
 Red-wing, Northern, 422.
 Northwestern, 145.
 Thick-billed, 345.
 Regulus calendula, 47, 345, 425.
 calendula grinnelli, 148.
 carbunculus, 307.
 cristatus, 309.
 cuvierii, 306.
 satrapa, 23, 47, 465.
 satrapa olivaceus, 148.
 sp., 200-202.
 tricolor, 309.
 Reiser, Otmar, mention of his 'Ornis Balcanica,' 360.
 Rhincops nigra, 310.
 Rhoads, Samuel N., see Stone, Witmer.
 Rhodostethia rosea, 348.
 Rhynchops nigra, 57, 316.

- Rhynchopsitta pachyrhyncha, 223, 425-428.
 Ricebird, Slate-colored, 364.
 Ridgway, Robert, notice of his 'Some Observations concerning the American Families of Oligomyodan Passeres,' 233.
 Riley, J. H., notices of his papers on new American birds, 236.
 Riparia riparia, 146, 417.
 Rissa tridactyla, 442.
 Roadrunner, 414, 421.
 Robin, American, 10, 47, 148, 183, 229, 276, 277, 278, 282, 314, 327, 342, 464, 470.
 Western, 148, 425.
 Robins, Mrs. Edward, obituary of, 485.
 Ruff, 98, 450.
 SAGE, John H., Twenty-third Congress of the American Ornithologists' Union, 92-96.
 Salpinctes obsoletus, 417, 424.
 Saltator plumbiceps, 390.
 Saltator, Grayson's, 390.
 Sanderling, 173, 450, 459.
 Sandpiper, Baird's, 449.
 Bartramian, 59, 450.
 Buff-breasted, 451.
 Curlew, 449.
 Least, 141, 384, 449.
 Pectoral, 141, 449.
 Purple, 449.
 Red-backed, 141, 183, 273, 449.
 Semipalmated, 449.
 Solitary, 316, 450.
 Spotted, 109, 141, 413, 451.
 Stilt, 449.
 Western, 58, 97, 141, 384.
 White-rumped, 173, 335, 449, 458.
 Sapsucker, Northern Red-breasted, 144.
 Yellow-bellied, 278.
 Sayornis nigricans, 415, 421.
 phoebe, 45, 155.
 saya, 144, 421.
 Sclateria, 471.
 Scolopax grisea, 310.
 noveboracensis, 310.
 Scoter, American, 141, 231, 445.
 Surf, 141, 446.
 White-winged, 141, 446.
 Scotiaptex cinerea, 222.
 nebulosa, 316.
 Scott, W. E. D., notice of his 'On the probable Origin of Certain Birds,' 112.
 See See, Black, 395.
 Seiurus aurocapillus, 18, 24, 158.
 motacilla, 19, 158.
 noveboracensis, 24, 174, 463.
 noveboracensis notabilis, 158, 345, 424.
 Selasphorus alleni, 144, 414.
 platycercus, 84, 109.
 rufus, 84, 144.
 Setophaga ruticilla, 19, 24, 159.
 ruticilla tropica, 237.
 Sharples, R. P., the Downy Woodpecker, 101.
 Shearwater, Audubon's, 217.
 Greater, 172.
 Sooty, 172.
 Wedge-tailed, 375, 378.
 Shelley, G. E., notice of Part I of Volume V of his 'Birds of Africa,' 353.
 Shoveller, 140, 203, 383, 444.
 Shrike, California, 417.
 Loggerhead, 12, 46.
 Northern, 146.
 White-rumped, 423.
 Shufeldt, R. W., Professor Clark on 'The Feather Tracts of Swifts and Hummingbirds,' 243-245.
 Sialia arctica, 310, 425.
 mexicana, 148.
 mexicana bairdi, 425.
 mexicana occidentalis, 418.

- Sialia occidentalis*, 310.
 sialis, 15, 47, 275.
Siskin, Pine, 46, 64, 145, 207, 422.
Sitta canadensis, 148.
 carolinensis, 47.
 carolinensis aculeata, 148, 424.
 pusilla, 47.
 pygmæa, 417, 424, 465.
Sittasomus amazonus, 482.
Smyth, Ellison A., Jr., Bachman's Finch in Montgomery County, Va., 341.
Snipe, Ring-necked, 398.
 Wilson's, 141, 183, 448.
Snow, Francis H., two birds new to the avifauna of Kansas, 106.
Snowflake, 7, 102, 145, 313, 314.
Solitaire, *Townsend's*, 105, 148, 425.
Somateria dresseri, 453.
 spectabilis, 445.
 v-nigra, 140.
Sora, 141.
Soree, 368.
Sparrow, *Acadian*, 65.
 Chipping, 8, 10, 46, 317, 390, 462.
 Desert, 423.
 English, 145, 173, 246, 416.
 Field, 10, 155, 317.
 Fox, 10, 173, 183.
 Golden-crowned, 146.
 Heermann's Song, 404, 416.
 House, 416, 422, 468.
 Ipswich, 65, 231.
 Large-billed, 149-152.
 Lark, 46, 103.
 Lincoln's, 423.
 Macgillivray's, 65.
 Nuttall's, 146, 416.
 Oregon Vesper, 145.
 Rusty Song, 146.
 Sage, 423.
 San Diego Song, 416.
 Santa Cruz Song, 416.
 Savanna, 10, 46, 155, 279, 280, 282, 340.
 Sparrow, *Seaside*, 5, 226.
 Song, 10, 155, 251, 468.
 Swamp, 10, 46, 155, 279, 280, 282.
 Townsend's, 146.
 Tree, 183.
 Vesper, 46, 155.
 Western Chipping, 109, 146, 416, 423.
 Western Lark, 416, 423.
 Western Savanna, 145.
 Western Vesper, 423.
 White-crowned, 10, 314, 423.
 White-throated, 46, 279, 280, 282, 461.
Spatula clypeata, 140, 383, 444.
Speotyto cunicularia hypogæa, 143, 414, 421.
Sphyrapicus ruber notkensis, 144.
 thyroideus, 421.
 varius, 14, 174.
 varius nuchalis, 421.
Spinus pinus, 15, 46, 64, 145, 422, 470.
Spizella pusilla, 155, 317.
 socialis, 15, 46, 317, 390.
 socialis arizonæ, 109, 146, 416, 423.
Sprigtail, 332.
Squatarola squatarola, 142, 173, 384, 451.
Steganopus tricolor, 335, 344, 413, 448.
Stejneger, Leonhard, notice of his 'The Birds of the Genus *Cinclus* and their Distribution,' 111; isolation vs. natural selection, 265-270.
Stelgidopteryx serripennis, 146, 341, 463.
Stellula caliope, 144.
Stephanoxys delalandii, 85.
Stercorarius longicaudus, 452.
 parasiticus, 139, 441.
 pomarinus, 452.
Sterna antillarum, 14, 57, 377, 396, 452.

- Sterna boyssii*, 310.
 cantiaca, 310.
 caspia, 442.
 forsteri, 412, 442.
 fuliginosa crissalis, 378.
 havelli, 307.
 hirundo, 396, 442.
 maxima, 377.
 paradisæa, 172, 452.
 trudeaui, 307.
- Stilt*, Black-necked, 57, 346, 402, 413.
- Stone*, Witmer, some light on night migration, 249-252; a bibliography and nomenclator of the ornithological works of John James Audubon, 298-312; some unpublished letters of Alexander Wilson and John Abbot, 361-368.
- Stone*, Witmer, and Samuel N. Rhoades, notice of a paper by, on Birds and Mammals from the Colorado Delta, Lower California, 234.
- Storer*, J. H., Jr., the Black Vulture again in Massachusetts, 222.
- Strix americana*, 308.
 californica, 303, 304, 307, 310.
 cunicularia, 304, 310.
 forcicata, 308.
 noctua, 310.
 passerina, 310.
 pratincola, 100, 420.
- Sturnella magna*, 15.
 magna argutula, 155.
 magna neglecta, 145.
 neglecta, 309, 415.
- Sturnus vulgaris*, 346.
- Sucier*, 393, 394.
- Sula bassana*, 173, 274, 443.
 brewsteri, 380.
 nebouxii, 379.
- Surnia funerea caparoch*, 474.
 funerea furnerea, 474.
 ulula caparoch, 108.
- Swales*, Bradshaw H., three Michigan records, 100; the Carolina Chickadee in Southern Michigan, 342. See also Taverner, P. A.
- Swallow*, Bank, 146, 156, 190, 417.
 Barn, 7, 278, 279, 281, 423.
 Cliff, 146, 417, 423.
 Eave, 468.
 Rough-winged, 146, 190, 341, 463.
 Tree, 6, 146, 276, 278, 279, 280, 468.
 Violet-green, 146, 423.
 Western Barn, 417.
 Western Tree, 417.
- Swan*, Trumpeter, 141, 446.
 Whistling, 182, 446.
- Swenk*, Myron H., some Nebraska bird notes, 108.
- Swift*, Black, 144.
 Chimney, 174, 278, 282.
 Vaux's, 144.
 White-throated, 407, 414.
- Swifts*, feather tracts of, 68-77, 243.
- Sylvia æstiva*, 304.
 arctica, 310.
 autumnalis, 304.
 bachmani, 307.
 blackburnia, 309.
 blackburniæ, 309.
 canadensis, 304.
 carbonata, 306.
 childrenii, 304, 306.
 ccerulea, 304.
 delafieldi, 308.
 macgillivrayi, 308, 310.
 mitrata, 312.
 occidentalis, 310.
 palmarum, 304, 309.
 pardalina, 309.
 parus, 304.
 petechia, 304, 309.
 philadelphia, 310.
 pinus, 304.
 protonotaria, 309.
 protonotarius, 309.

- Sylvia rara*, 304.
 rathbonia, 307.
 roscoe, 304, 306.
 sphagnosa, 304.
 swainsonii, 307.
 trichas, 304.
 trogodytes, 310.
 vigorsii, 304, 306.
 wilsoni, 312.
Sylvicola blackburniæ, 206.
 castanea, 206.
 coronata, 206.
 icterocephala, 206.
 maculosa, 206.
 maritima, 206.
 petechia, 311.
 pinus, 311.
 virens, 206.
Symphemia semipalmata, 58, 60, 398.
 semipalmata inornata, 344, 384, 450.
Synallaxis azaræ, 481.
 frontalis, 480.
 griseiventris, 481.
 ruficapilla, 481.
Syrnium varium, 23, 45.
 occidentale caurinum, 143.
TACHORNIS parva, 75.
Tachycineta thalassina lepida, 146, 423.
Tachyphonus luctuosus, 471.
Tanager, Louisiana, 14, 146, 423.
 Scarlet, 156, 474.
 Summer, 9, 156, 278, 281.
Tangavius æneus æneus, 389.
Tantalus fuscus, 308.
 loculator, 57.
Tattler, Wandering, 184.
Taverner, P. A., some more Michigan records, 107; tagging migrants, 232; southeastern Michigan records, 335; Hudsonian Godwit (*Limosa hæmastica*) in Ontario, 335.
 Taverner, P. A., and B. H. Swales, Lesser Snow Geese in Michigan and Ontario, 219.
Teal, Blue-winged, 7, 140, 332, 419, 444.
 Cinnamon, 402, 413, 419.
 Green-winged, 140, 183, 327, 332, 383, 444.
Telmatodytes palustris griseus, 67.
 palustris marianæ, 67.
 palustris paludicola, 148.
Tern, Arctic, 452.
 Black, 281, 402, 412, 443.
 Black-headed, 393.
 Caspian, 442.
 Common, 442.
 Forster's, 402, 412, 442.
 Least, 377, 452.
 Pacific Sooty, 375, 378.
 Royal, 375, 377.
Thalassodroma pelagica, 311.
Thalurania belli, 237.
 sp., 81.
Thayer, John E., Leach's Petrel inland in Massachusetts, 97; Richardson's Owl in Eastern Massachusetts, 222; eggs and nests of the Thick-billed Parrot (*Rhynchopsitta pachyrhyncha*), 223; nest and eggs of the Beardless Flycatcher (*Ornithion imberbe*), 460.
 Thayer, John E., and Outram Bangs, notice of their 'The Mammals and Birds of the Pearl Islands,' 234; notice of their 'Vertebrata from the Savanna of Panama,' 235.
Thompson, Frank J., obituary of, 357.
Thrasher, Brown, 46, 279.
 California, 417.
 Curve-billed, 424.
 Pasadena, 407, 417.
 Sage, 424.
Thrush, Audubon's Hermit, 425.

- Thrush, Dwarf Hermit**, 148.
 Hermit, 10, 47, 160, 276.
 Monterey Hermit, 418.
 Olive-backed, 282.
 Russet-backed, 148, 412, 418.
 Varied, 148.
 Willow, 345.
 Wilson's 160, 280, 282.
 Wood, 9, 13, 278, 282.
- Thryomanes bewickii**, 47.
 bewickii calophonus, 147.
 bewickii leucogaster, 424.
 bewickii spilurus, 147.
- Thryothorus ludovicianus**, 47, 105.
- Titlark**, 183, 341, 342.
 Brown, 300.
- Titmouse, Bridled**, 424.
 Gray, 424.
 Plain, 187, 347, 417.
 San Francisco, 186.
 Tufted, 47, 277.
- Totanus flavipes**, 59, 384, 450.
 melanoleucus, 59, 141, 450.
 solitarius, 278.
- Towhee**, 6, 46, 317, 462.
 Anthony's, 409, 416.
 Arctic, 423.
 California, 416.
 Cañon, 423.
 Green-tailed, 423.
 Oregon, 146.
 San Diego, 416.
 San Francisco, 416.
 Spurred, 404, 416.
- Townsend, Charles W., the Lark Sparrow** in Massachusetts, 103; notes on the birds of Cape Breton Island, 172-179; note on the crop contents of a nestling Mourning Dove (*Zenaidura macroura*), 336.
- Toxostoma curvirostre**, 424.
 redivivum, 187, 417.
 redivivum pasadena, 417.
 rufum, 46.
- Trichas philadelphia**, 206.
- Tringa canutus**, 59, 60, 141, 449.
 maculata, 277, 280.
 minutilla, 384.
- Trochili, pterylosis of**, 77-88.
- Trochilus alexandri**, 77, 83.
 colubris, 174, 245.
- Troglodytes aëdon**, 47.
 aëdon aztecus, 147, 424.
 aëdon parkmani, 417.
 americana, 307.
 bewickii, 207.
 hyemalis, 310.
 ludovicianus, 307.
 obsoleta, 310.
 obsoletus, 310.
 parkmanii, 308.
 palustris, 207.
- Trogon citreolus**, 388.
- Trogon, Citreoline**, 388.
- Tryngites subruficollis**, 451.
- Tufts, Harold F., nesting of Cross-bills** in Nova Scotia, 339.
- Turdus apicalis**, 236.
 ludovicianus, 306.
 minor, 310.
 montanus, 236.
 nanus, 308, 310.
 solitarius, 207.
 townsendi, 308.
 wilsoni, 311.
 wilsonia, 207.
- Turkey, Water**, 217.
 Wild, 237, 241, 300.
- Turnstone, European**, 335.
 Ruddy, 452.
- Tyranniscus bolivianus**, 481.
 viridissimus, 481.
- Tyrannula nigricans**, 311.
 pusilla, 196, 311.
- Tyrannus dominicensis**, 399.
 griseus, 309.
 melancholicus couchi, 389.
 tyrannus, 144, 414.
 verticalis, 144, 389, 414, 421.
 vociferans, 421.

- UPUCERTHIA nigrofumosa, 482.
 Uranomitra cyanocephala, 338.
 salvini, 337.
 Uria antiqua, 310.
 californica, 412.
 lomvia, 441.
 townsendi, 307.
 troile, 452.
 troile californica, 139, 377.
 Urubitinga anthracina, 386.

 VANELLUS vanellus, 221.
 Verrill, A. Hyatt, notice of his
 paper on the Avifauna of Do-
 minica, 236.
 Vireo bartrami, 311.
 bellii, 309.
 flavifrons, 21.
 gilvus, 309, 423.
 gilvus swainsoni, 146, 417.
 huttoni obscurus, 147.
 noveboracensis, 156.
 noveboracensis maynardi,
 400.
 olivaceus, 20, 21, 146, 156.
 philadelphicus, 22.
 solitarius, 22, 156, 207.
 solitarius cassini, 147.
 Vireo, Anthony's, 147.
 Blue-headed, 10, 21, 156.
 Cassin's, 147.
 Key West, 400.
 Philadelphia, 22.
 Red-eyed, 9, 13, 20, 21, 67,
 146, 156, 278, 282.
 Warbling, 278, 423.
 Western Warbling, 146, 417.
 White-eyed, 6, 9, 13, 156,
 278.
 Yellow-throated, 21, 278.
 Vireosylva olivacea, 67.
 Vultur atratus, 366.
 aura, 366.
 Vulture, Black, 45, 222, 386.
 California, 413.
 Turkey, 45, 142, 221, 385,
 403, 408, 413, 420.

 WARBLER, Audubon's, 147, 390,
 424.
 Bay-breasted, 20, 24, 157,
 280.
 Black-and-White, 9, 16, 24,
 156, 279, 280, 282.
 Blackburnian, 24, 158, 282.
 Black-fronted, 230.
 Black-headed Green, 364.
 Black-poll, 20, 23, 24, 157.
 Black-throated Blue, 22, 24.
 Black-throated Gray, 147,
 424.
 Black-throated Green, 17,
 24, 158, 282.
 Blue-winged, 16, 104, 344.
 Calaveras, 147.
 California Yellow, 417.
 Canadian, 24.
 Cape May, 105, 109, 438.
 Cerulean, 24, 278, 279, 280.
 Chestnut-sided, 17, 24, 157,
 282.
 Connecticut, 24, 438.
 Golden Pileolated, 147.
 Golden-winged, 24, 104, 439.
 Hermit, 147.
 Hooded, 8, 13, 19, 159, 277,
 278, 282, 439.
 Kentucky, 9, 158, 278, 344.
 Lawrence's, 345.
 Lutescent, 147.
 Macgillivray's, 147.
 Magnolia, 9, 24, 157, 282.
 Mourning, 22.
 Myrtle, 9, 10, 22, 24, 46, 147,
 157, 276, 277, 279, 280, 282.
 Nashville, 22.
 Orange-crowned, 10, 46, 157,
 276, 278, 282, 344, 424.
 Palm, 23, 24, 158, 279, 345.
 Parula, 8, 13, 157, 277, 282.
 Pileolated, 417, 424.
 Pine, 10, 12, 46, 273.
 Prairie, 105.
 Prothonotary, 8, 106, 278,
 300, 439.

- Warbler, Sonora Yellow, 424.
Swainson's, 8, 156, 227, 278.
Sycamore, 8.
Tennessee, 9, 22, 24, 157, 282,
438.
Townsend's, 147.
Virginia's, 424.
Western Parula, 24.
Worm-eating, 9, 13, 157, 281.
Yellow, 17, 22, 24, 147, 278,
280, 281, 282.
Yellow Palm, 46, 158.
Yellow-throated, 158.
- Water-Thrush, 463.
Grinnell's, 158, 345, 424.
Louisiana, 13, 19, 24, 158,
281.
- Waxwing, Cedar, 46, 146, 233, 342,
390.
- Wayne, Arthur T., a contribution
to the ornithology of South
Carolina, 56-67; moult of the
Snowflake (*Passerina nivalis*)
102; date of discovery of Swain-
son's Warbler, 227; the American
Scoter, Limpkin, and Ipswich
Sparrow in South Carolina, 231.
- Weber, J. A., the American Egret
in the Catskill Mountains, 457;
contents of the crop and gizzard
of a young Ruffed Grouse, 459.
- Wheelock, Irene G., nesting habits
of the Green Heron, 432-436.
- Whip-poor-will, 22.
- Whittaker, J. I. S., review of his
'Birds of Tunisia,' 238.
- Widgeon, American, 444.
- Widmann, Otto, should bird pro-
tection laws and their enforce-
ment be in the hands of the
National Government? 109.
- Willard, B. G., exceptional eggs
of the Bald Eagle (*Haliaeetus*
leucocephalus), 222.
- Willet, 7, 398.
Western, 344, 384, 450.
- Williams, J. B., the Yellow-crowned
Night Heron near Toronto, 220.
- Williams, R. W., Jr., further notes
on the birds of Leon County,
Florida, 153-161. See also
Palmer, T. S.
- Wilson, Alexander, unpublished
letters of, 361-365.
- Wilsonia mitrata, 19, 159.
pusilla chryseola, 147.
pusilla pileolata, 417.
- Wood, J. Claire, autumn Warbler
hunting, 20-25; Wayne County,
Mich., notes, 344; the White-
rumped Sandpiper in Wayne Co.,
Mich., 458.
- Woodcock, American, 58, 448.
- Woodpecker, Ant-eating, 421.
Arctic Three-toed, 316.
Cabanis's, 414, 421.
California, 409, 414.
Downy, 45, 101.
Elegant, 388.
Gairdner's, 143.
Grayson's, 388.
Hairy, 161-171, 265-270.
Harris's, 143.
Imperial, 426.
Ivory-billed, 237.
Lewis's, 144, 421.
Mexican Pileated, 388.
Northern Pileated, 144.
Pileated, 163.
Red-bellied, 45, 399.
Red-cockaded, 12, 45, 62.
Red-headed, 45, 347.
Red-naped, 421.
Southern White-headed, 407,
414.
Texan, 421.
Williamson's, 421.
Willow, 414.
Yellow-bellied, 278.
- Woodruff, E. Seymour, the Cape
May Warbler in Litchfield County
Conn., 105; the Prairie Horned

- Lark a summer resident in Connecticut, 461; probable breeding of the White-throated Sparrow in Connecticut, 461.
- Worcester, Dean C., see McGregor, R. C.
- Worthen, Charles K., Swainson's Warbler in Nebraska, 227.
- Wren, Baird's, 424.
 Bewick's, 47.
 Cactus, 424.
 Cañon, 424, 465.
 Carolina, 47, 105.
 Happy, 391.
 House, 47, 280, 282, 468.
 Long-billed Marsh, 67.
 Marian's Marsh, 67.
 Pacific Bewick's, 147.
 Parkman's, 417.
 Rock, 411, 417, 424.
 Short-billed Marsh, 47.
 Tule, 148.
 Western House, 147, 424.
 Western Winter, 148.
 Winter, 282.
 Worthington's Marsh, 67.
- Wren-tit, Intermediate, 418.
 Pallid, 417.
 Ruddy, 418.
- Wysman, P., notice of his 'Genera Avium,' Parts I-V, 118.
- XANTHOCEPHALUS xanthocephalus, 415, 422.
 Xema sabinii, 452.
 Xenopus gravirostris, 414.
 Xiphocolaptes simpliciceps, 482.
- YELLOW-BREAST, 393.
 Yellow-legs, 384, 450.
 Greater, 141, 450.
 Yellow-throat, Florida, 46.
 Maryland, 227, 281.
 Northern, 18, 20, 23, 24, 345.
 Pacific, 147.
 Western, 424.
- Yungipicus kizuki, 269.
 nigrescens, 269.
 seebohmi, 269.
- ZAMELODIA ludoviciana, 22.
 melanocephala, 423.
 melanocephala capitalis, 417.
- Zenaidura macroura, 142, 385, 413, 420.
 carolinensis, 475.
 carolinensis marginata, 475.
- Zonotrichia albicollis, 46, 461.
 coronata, 146.
 leucophrys, 314, 423.
 leucophrys nuttalli, 146, 416.

ERRATA.

Page 141, line 8, for HUTCHIN'S read HUTCHINS'S.

" 145, line 26, for **montanus** read **montana**.

" 326, line 5 from bottom, for chronometor and watchmaker read chronometer and watch maker.

" 345, line 1, for Four read Two.

" 388, line 29, for PILEOLATED read PILEATED.